Mosquito Bite Prevention (United States)

Not all mosquitoes are the same. Different mosquitoes spread different viruses and bite at different times of the day.

Type of Mosquito	Viruses spread	Biting habits
Aedes aegypti, *Aedes albopictus*	Chikungunya, Dengue, Zika	Primarily daytime, but can also bite at night
Culex species	West Nile	Evening to morning

Protect yourself and your family from mosquito bites

Use insect repellent

Use an Environmental Protection Agency (EPA)-registered insect repellent with one of the following active ingredients. When used as directed, EPA-registered insect repellents are proven safe and effective, even for pregnant and breastfeeding women.

Active ingredient Higher percentages of active ingredient provide longer protection	Some brand name examples*
DEET	Off!, Cutter, Sawyer, Ultrathon
Picaridin, also known as **KBR 3023, Bayrepel**, and **icaridin**	Cutter Advanced, Skin So Soft Bug Guard Plus, Autan (outside the United States)
Oil of lemon eucalyptus (OLE) or **para-menthane-diol** (PMD)	Repel
IR3535	Skin So Soft Bug Guard Plus Expedition, SkinSmart



* Insect repellent brand names are provided for your information only. The Centers for Disease Control and Prevention and the U.S. Department of Health and Human Services cannot recommend or endorse any name brand products.

CS258143A February 17, 2016

Protect yourself and your family from mosquito bites *(continued)*



- Always follow the product label instructions.
- Reapply insect repellent every few hours, depending on which product and strength you choose.
  - » Do not spray repellent on the skin under clothing.
  - » If you are also using sunscreen, apply sunscreen first and insect repellent second.

Natural insect repellents (repellents not registered with EPA)

- The effectiveness of non-EPA registered insect repellents, including some natural repellents, is not known.
- To protect yourself against diseases like chikungunya, dengue, and Zika, CDC and EPA recommend using an EPA-registered insect repellent.
- When used as directed, EPA-registered insect repellents are proven safe and effective.
- For more information: www2.epa.gov/insect-repellents

If you have a baby or child



- Always follow instructions when applying insect repellent to children.
- Do not use insect repellent on babies younger than 2 months of age.
- Dress your child in clothing that covers arms and legs, or
- Cover crib, stroller, and baby carrier with mosquito netting.
- Do not apply insect repellent onto a child's hands, eyes, mouth, and cut or irritated skin.
  - » Adults: Spray insect repellent onto your hands and then apply to a child's face.
- Do not use products containing oil of lemon eucalyptus (OLE) or para-menthane-diol (PMD) on children under 3 years of age.

Treat clothing and gear



- Treat items such as boots, pants, socks, and tents with permethrin or purchase permethrin-treated clothing and gear.
  - » Permethrin-treated clothing will protect you after multiple washings. See product information to find out how long the protection will last.
  - » If treating items yourself, follow the product instructions.
  - » Do not use permethrin products directly on skin.

Mosquito-proof your home



- Use screens on windows and doors. Repair holes in screens to keep mosquitoes outside.
- Use air conditioning when available.
- Keep mosquitoes from laying eggs in and near standing water.
  - » Once a week, empty and scrub, turn over, cover, or throw out items that hold water, such as tires, buckets, planters, toys, pools, birdbaths, flowerpots, or trash containers. Check inside and outside your home.